





Smooth profiles

Gutter fronts

Standard gutter fronts are available in the developments mentioned on the right side. for bespoke gutter fronts, please specify:

- type or aspect of metal
- thickness
- development
- length
- with or without ring
- with or without upstand
- with or without flat connection
- or straight to install with overlapping.



1231



1232



1233



1234

Standard extended widths (in mm)

333
400
500

max 2 m long



Standard extended widths (in mm)

333
400
500


max 2 m long



Standard extended widths (in mm)

333
400
500


max 2 m long



Standard extended widths (in mm)

400
500
650

max 2 m long



Rings for connection

All gutter fronts can be curved on demand

Please provide a ring model, or a template, samples or any drawing with dimensions for quotation.

For smooth profiles, three connections are possible:

1. overlapping, the pieces overlap 30mm
2. with rings, on both ends of the curb there's an up stand, the ring will cover the up stands to make the connection between two curbs.
3. flat connection: a zinc strip will be soldered at the back of one side of the curb, in order to connect both pieces weather-tight and flush.




Standard smooth profiles


Curb members



Rings



Stainless steel clip
205689000
per 100 in a box



1235

Standard extended widths (in mm)


250
333
400
500
600
650



1236

Standard extended widths (in mm)

250
333
400
500
600
650



1237

Standard extended widths (in mm)

333
400
500
600
650



1238

Standard extended widths (in mm)

333
400
500
650



Curb members



Standard smooth profiles

Cover strips





1227

Standard extended widths (in mm)

200

250





1228

Standard extended widths (in mm)

250

333





1229


Standard extended widths (in mm)

250

333



Rings






1230

Standard extended widths (in mm)

250

333



Cover strips



Standard stamped profiles

Curb members



2257



4244



4251



Models	Height (mm)	Overall length (mm)	Depth (mm)
2257	210	990	60
	270	865	90
	330	1020	110
4244	250	980	80
4251	270	995	60

Gutter fronts - Escutcheons



4272



4273

Reference	Height (mm)	Overall length (mm)	Depth (mm)
4272	360	975	33
4273	410	995	70